

1. SUBSTANCE IDENTIFICATION:**Rainetheet**

SUPPLIER NAME: AGPRO NZ Limited
SUPPLIER CODE: None
SUPPLIER ADDRESS: 10 Polaris Place, East Tamaki, Auckland.
SUPPLIER PHONE: 09 273 3456 SUPPLIER FAX: 09 273 3457
EMERGENCY PHONE: 0800 POISON
CHEMICAL ACTIVE: Ethofumsate 500g/L
USE: A herbicide for barley grass control in pasture and weed control in turf ryegrass, fodder beet and red beet.

2. HAZARDS IDENTIFICATION:

HAZARD CLASSES:

- 9.1B: Toxic to aquatic life with long lasting effects.
9.2A: Toxic to the soil environment.

Refer to Section 15 for EPA Requirements.

3. COMPOSITION / INFORMATION ON INGREDIENTS:

COMMON NAME	CAS NUMBER	CONCENTRATION
Ethofumesate	26225-79-6	500g/L
Wetting agent, dispersing agent, thickening agent, antifoam, biocide		<200g/L
Water		up to 100%

4. FIRST - AID MEASURES:

EYE CONTACT: Immediately flush with flowing water for at least 15 minutes. Seek medical attention if irritation occurs.
SKIN CONTACT: Wash with plenty of soap and flowing water for at least 15 minutes while removing contaminated clothing. Wash clothing before reuse.
INHALATION: If ill-effects occur, move the victim to fresh air. If ill-effects persist, consult a doctor.
INGESTION: Do not induce vomiting. Seek medical advice.
NOTES TO DOCTOR: Treat symptomatically.

5. FIRE FIGHTING MEASURES:

FLASHPOINT: None.
FLAMMABLE LIMITS: None.
EXTINGUISHING MEDIA: Dry chemical, water spray (fog), foam or carbon dioxide.
THERMAL DECOMPOSITION PRODUCTS:
SPECIAL FIRE FIGHTING METHODS: Vapours may be toxic. Self contained breathing apparatus required. Do not allow contaminated runoff to enter drains.
UNUSUAL FIRE OR EXPLOSION HAZARDS: None.

6. ACCIDENTAL RELEASE MEASURES:

Use appropriate protective equipment. Clear area of unnecessary personnel. Spills may be slippery and should be cleaned up immediately. Large spill: Dike and pump as much as possible to a salvage container. Absorb the remaining liquid and any small spills with clay granules, sand or other absorbent material and sweep to a waste container. Cover the spill area with water and absorb. Minimise runoff into waterways or drains.

7. HANDLING AND STORAGE:

Store in original container, tightly closed, away from foodstuffs, seeds, fertilisers and pesticides in a cool, well-ventilated place. Keep out of reach of children. Wash protective clothing daily after work.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION:

EXPOSURE LIMITS:	Not established by OSHA.
EYE PROTECTION:	Where eye contact is likely, use chemical splash goggles.
RESPIRATORY PROTECTION:	No special protection needed.
PROTECTIVE CLOTHING:	Where contact is likely, wear chemical-resistant (such as nitrile or butyl) gloves, coveralls, socks and chemical-resistant footwear.
VENTILATION:	General (mechanical) room ventilation is considered satisfactory.
HYGIENE PRECAUTIONS:	Do not eat, drink or smoke while working with this product. Remove clothing that becomes soaked or contaminated and wash before reuse. Wash hands before breaks and after work.

9. PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE / STATE / ODOUR:	White to beige viscous liquid	pH:	Not Available.
BOILING POINT:	100°C	SETTING POINT:	Not Available.
DENSITY:	1.13g/mL @ 25°C.	AUTOIGNITION TEMP:	Not Applicable.
DECOMPOSITION TEMP:	Not Available.	VAPOUR DENSITY:	Not Available.
FLASHPOINT:	Not Applicable.	VAPOUR PRESSURE:	Not Available.
EXPLOSION PROPERTIES:	Not Applicable.		
SOLUBILITY:	0.13g/L		
OTHER DATA:			
OCTANOL / WATER PARTITION COEFFICIENT:	Not Available.		

10. STABILITY AND REACTIVITY:

CONDITIONS TO AVOID:	Protect from frost.
MATERIALS TO AVOID:	None.
HAZARDOUS DECOMPOSITION PRODUCTS:	Carbon oxides and Sulphur oxides..

11. TOXICOLOGICAL INFORMATION:

ACUTE ORAL:	LD50 (rats) >2000 mg/kg.
ACUTE DERMAL:	LD50 (rats) >4000 mg/kg
ACUTE INHALATION:	
OTHER TOXICITY INFORMATION:	Warning - May cause mild skin irritation, avoid skin contact. Warning - May cause slight eye irritation, avoid contact with eyes.
<i>ACUTE</i>	
SWALLOWED:	Single dose oral toxicity is slightly toxic. Rat LD ₅₀ > 2000mg/kg.
EYE:	Minimally irritating.
SKIN:	No more than slight irritating.
INHALED:	No more than slightly toxic.
<i>CHRONIC</i>	Animal tests indicate that there is no evidence of mutagenic potential or reproductive hazard potential. Carcinogenic potential: Increased incidence of mammary carcinomas (female rate)

12. ECOLOGICAL INFORMATION:

AQUATIC TOXICITY:	Fish - LC50 22-26mg/L 96 hour Daphnia - EC50 70.5mg/L 48 hour
-------------------	--

13. DISPOSAL CONSIDERATIONS:

Triple rinse container and add residue to spray tank. Burn the container if circumstances, especially wind direction permit. Otherwise bury in a landfill. Avoid contamination of any water supply with chemical or empty container. Do not use the container for any other purpose.



AGPRO SAFETY DATA SHEET

DIRECT

RAINETHEET - ETHOFUMASATE

Issue Date: 07/02/2017

14. TRANSPORT INFORMATION:

PROPER SHIPPING NAME:	Environmentally Hazardous Substance, Liquid, N.O.S. (Ethofumesate)
DG CLASS:	9
UN NUMBER:	3082
HAZCHEM:	2X
PACK GROUP:	III
MARINE POLLUTANT:	No

15. REGULATORY INFORMATION:

APPROVED HANDLER:	This product must be under the control of an approved handler during use.
See the EPA Website for more details:	www.epa.govt.nz
EPA Approval Code:	HSR000826
ACVM Pesticide Number:	P009436

16. OTHER INFORMATION:

The data given here is based on current knowledge and experience. The purpose of this safety data sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.