



HAZARD CLASSIFICATION

Eye irritation Category 2,
Skin sensitisation Category 1,
Hazardous to the aquatic environment chronic Category 3,
Hazardous to soil organisms.

HSNO Classification: 6.4A, 6.5B, 9.1C, 9.2A

This product must not be used for any purpose, or in any manner, contrary to this label unless authorised under appropriate legislation.

WARNING

TOXICITY

Causes severe eye irritation. May cause allergic skin reaction.

ECOTOXICITY

Harmful to aquatic life with long lasting effects. Very toxic to the soil environment.

PRECAUTIONS

QUALIFIED HANDLER

This product must be under the control of a suitably qualified handler during handling, mixing, loading or application.

Selective Herbicide – very toxic to some plant species. This product must not be applied directly into or on water. Avoid contamination of any water supply with product or empty container.

Beware: Spray drift hazard. Apply this product carefully. Spray drift may cause serious damage to other desirable plants. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

Aerial application: To minimise the risk of damage from spray drift, especially where susceptible vegetation is within 500 metres, use low drift-nozzles which minimise the production of small droplets (< 100 microns). The preferred wind conditions for spraying are a light, constant breeze that is away from sensitive crops. Ensure compliance with relevant regional air management plans.

PERSONAL PROTECTION

Avoid contact with skin and eyes, ingestion and inhalation of spray mist. When mixing or

applying this product, overalls, boots, gloves and eye protection should be worn. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

STORAGE

Store in original container, tightly closed, in a secure, dry, cool and well-ventilated area avoiding direct sunlight and away from foodstuffs, fertilisers or seeds. Storage must be in accordance with the current version of NZS8409 Management of Agrichemicals. Stores containing 1,000 litres or more of **AGPRO Picloram 200** require secondary containment, signage and an emergency plan.

EQUIPMENT

Apply only with appropriate, well-maintained and calibrated equipment in accordance with NZS8409 Management of Agrichemicals.

RECORDS OF APPLICATION

If 3kg or more of the substance is applied within 24 hours, in a place where the substance is likely to enter the air or water and leave the application area, written records must be kept.

DISPOSAL

PRODUCT DISPOSAL: Dispose of this product only by using according to the label directions or if this is not possible contact your supplier for advice.

CONTAINER DISPOSAL: Triple rinse container and add rinsate to the spray tank. Recycle clean containers at an Agrecovery depot, or puncture and dispose of at an approved landfill. Do not burn. Do not use container for any other purpose.

FIRST AID

For advice call the National Poisons Centre 0800 POISON (0800 764 766) (24 hours) or a doctor. If medical advice is needed have product container or label to hand.

IF SWALLOWED: Do NOT induce vomiting. Rinse mouth. Call the Poisons Centre or doctor if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritation persists, get medical advice/attention.

IF ON SKIN OR HAIR: Remove contaminated clothing. Wash with plenty of soap and water. If

skin irritation or rash occurs get medical advice/attention. Wash contaminated clothing before reuse.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call the Poisons Centre or a doctor if you feel unwell. Apply artificial respiration if not breathing.

EMERGENCY RESPONSE

In a transport emergency call 111. For specialist advice in a chemical emergency call 0800 CHEMCALL (0800 243 622).

TRANSPORT

Do not carry on a passenger service vehicle.

SPILLAGE

Exclude non-essential people from the area. Wear protective clothing and prevent chemical from entering waterways. Absorb liquid spills with inert material such as attapulgite, soil, etc., and place in a waste container. Wash area with water and absorb with further inert material. Dispose of safely at an approved landfill.

SAFETY DATA SHEET

Additional information is provided in the safety data sheet. Phone 09 273 3456 or visit www.agpro.co.nz for a copy.

RESISTANT WEEDS WARNING

| GROUP | 4 | HERBICIDE |
|-------|---|-----------|
|-------|---|-----------|

AGPRO Picloram 200 contains a pyridine carboxylate herbicide that acts like an indole acetic acid or auxin mimic. Naturally occurring resistant biotypes are known to exist and can become more prevalent after many years of continuous or excessive use of this product. To prevent or delay resistance use **AGPRO Picloram 200** in tank mixes as appropriate, and/or in rotation with herbicides that have a different mode of action.

APPLICATION RATE

The maximum application rate is 400 g ai/ha of picloram.

| SITUATION | APPLICATION RATE | CRITICAL COMMENTS |
|--------------|-------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Radiata Pine | Aerial / Broadcast: 0.5 - 1.5litres/ha | Use the lower rate over younger trees. Do not use on sandy soils or soils with low organic matter. |

COMPATIBILITY

Compatible with most commonly used herbicides.

RAINFALL

Rainfall within 3 hours following treatment may reduce effectiveness. Earlier re-treatment should be considered following heavy rain.

MIXING

Stir or mix well. Add the full quantity of the product to the partly filled spray tank whilst agitating. Fill tank and agitate to ensure thorough mixing and continue agitation while spraying. Agitate from the bottom if allowed to stand.

DIRECTIONS FOR USE

AGPRO Picloram 200 is a selective herbicide for the control of a wide range of flat weeds, seedling gorse and seedling tobacco weed in forestry situations. May be mixed and applied with **AGPRO Valzine 500** and **Agpro Terbutylazine 500** as a broadcast spray over pine trees. **Do not use on pasture or cropland.**

CLEANING AND DECONTAMINATION

After using spray equipment, flush all equipment and lines with clean water.

If the same equipment which applied **AGPRO Picloram 200** is to be used for any application onto or around sensitive crops, ensure that all spray equipment is washed well and decontaminated.

CONDITIONS OF SALE

As the use of this product is beyond the control of AGPRO NZ Ltd, no warranty expressed or implied, beyond that covered under the Fair Trading Act is given by AGPRO NZ Ltd regarding its suitability, fitness, or efficacy for any purpose for which it is used by the user, whether in accordance with the directions or not. AGPRO NZ Ltd accepts no responsibility for any consequence whatsoever resulting from the use of this product.

Batch Number:

Date of Manufacture:



| Proper Shipping Name | Class | UN No. | Packing Group | Hazchem |
|-------------------------------------------------------------------------------------|-------|--------|---------------|---------|
| ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (contains picloram 20%) | 9 | 3082 | III | 3Z |