



HAZARD CLASSIFICATION

Acute oral toxicity Category 4,
Eye irritant category 2,
Specific target organ toxicity – repeated exposure
Category 2,
Hazardous to the aquatic environment chronic Category 3.

HSNO CLASSIFICATION

6.1D, 6.4A, 6.9B, 9.1C

This product must not be used for any purpose, or in any manner, contrary to this label unless authorised under appropriate legislation.

WARNING

TOXICITY

Harmful if swallowed. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure.

ECOTOXICITY

Harmful to the aquatic environment with long lasting effects.

PRECAUTIONS

This product must not be applied into or onto water. Avoid contamination of any water supply with product or empty container. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

PERSONAL PROTECTION

Avoid contact with skin and eyes, ingestion and inhalation of spray mist. When mixing or applying this product, overalls, boots, gloves and eye protection should be worn. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

STORAGE

Store in original container, tightly closed, in a secure, dry, cool and well-ventilated area avoiding direct sunlight and away from foodstuffs, fertilisers or seeds.
Store in accordance with the current version of NZS 8409 Management of Agrichemicals. Stores containing 1,000 L or more of **AGPRO Red Marker Dye G** require secondary containment, signage and an emergency plan.

Batch Number:

Date of Manufacture:

EQUIPMENT

Apply only with appropriate, well-maintained and calibrated equipment in accordance with NZS 8409.

DISPOSAL

PRODUCT DISPOSAL: Dispose of this product only by using according to the label directions or if this is not possible contact your supplier for advice.

CONTAINER DISPOSAL: Triple rinse container and add rinsate to the spray tank. Recycle clean containers at an Agrecovery depot, or puncture and dispose of at an approved landfill. Do not burn. Do not use container for any other purpose.

FIRST AID

For advice call the National Poisons Centre 0800 POISON (0800 764 766) (24 hours) or a doctor. If medical advice is needed have product container or label to hand.

IF SWALLOWED: Do NOT induce vomiting. Rinse mouth. Call the Poisons Centre or a doctor if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritation persists, get medical advice/attention.

IF ON SKIN OR HAIR: Remove contaminated clothing and flush with water. If skin irritation occurs, get medical advice/attention. Wash contaminated clothing before reuse.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call the Poisons Centre or a doctor if you feel unwell. Apply artificial respiration if not breathing.

EMERGENCY RESPONSE

In a transport emergency call 111.
For specialist advice in a chemical emergency call 0800 CHEMCALL (0800 243 622).

SPILLAGE

Exclude non-essential people from the area. Wear protective clothing and prevent chemical from entering waterways. Absorb liquid spills with inert material such as attapulgite, soil, etc., and place in a sealed, labelled waste container. Wash area with water and absorb with further inert material. Dispose of safely at an approved landfill.

SAFETY DATA SHEET

Additional information is provided in the safety data sheet. Phone 09 273 3456 or visit www.agpro.co.nz for a copy.

GENERAL INSTRUCTIONS

AGPRO Red Marker Dye G is a temporary red pattern indicator for use in many agricultural, turf and industrial applications. It is best used with a suspension concentrate type formulation to show up against the green vegetation. The bright red colour shows you exactly where liquid pesticides and fertilisers have been applied. It helps to prevent skips and overlaps, and aids in detecting spray drift.

COMPATIBILITY

Compatible with most pesticides and foliar fertilisers, however a small trial is recommended.

DIRECTIONS FOR USE

MIXING

Stir or mix well. Add the desired quantity of **AGPRO Red Marker Dye G** directly into the partially filled spray tank after the pesticide or foliar fertiliser has been added. Agitate while filling with the remaining quantity of water to ensure the product is fully dispersed.

APPLICATION RATE

The dosing rate depends on the type of terrain being treated, intensity of colour required and the period the marker is to stay visible. The user should adjust the dosing rate to establish a rate that is economical and practical for that particular application. The higher the dosing rate the darker the spray pattern. A suggested starting rate is 30ml/100L of spray mix.

CLEANING AND DECONTAMINATION

After using spray equipment, flush all equipment and lines with clean water.

AGPRO Red Marker Dye G contains the following ingredients that are toxic and/or corrosive: Rhodamine B dye (10-30%) and Diethylene Glycol (5-40%).

CONDITIONS OF SALE

As the use of this product is beyond the control of AGPRO NZ Ltd, no warranty expressed or implied, beyond that covered under the Fair Trading Act is given by AGPRO NZ Ltd regarding its suitability, fitness, or efficacy for any purpose for which it is used by the user, whether in accordance with the directions or not. AGPRO NZ Ltd accepts no responsibility for any consequence whatsoever resulting from the use of this product.

