



HAZARD CLASSIFICATION

Skin sensitization Category 1,
Hazardous to the aquatic environment
acute Category 3
Hazardous to terrestrial vertebrates,

HSNO Classification: 6.5B, 9.1C, 9.3C,

This product must not be used for any purpose, or in any manner, contrary to this label unless authorised under appropriate legislation.

WARNING

May cause an allergic skin reaction.

ECOTOXICITY

Harmful to aquatic life. Harmful to terrestrial vertebrates.

PRECAUTIONS

This product must not be applied into or on water. Avoid contamination of any water supply with product or empty container. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

PERSONAL PROTECTION

Avoid contact with skin and eyes, ingestion and inhalation of spray mist. When mixing or applying this product, overalls, boots, gloves and eye protection should be worn. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

STORAGE

Store in original container, tightly closed, in a secure, dry, cool and well-ventilated area avoiding direct sunlight and away from foodstuffs, fertilisers or

seeds. Storage must be in accordance with the current version of NZS8409 Management of Agrichemicals.

Stores containing 1000 litres or more of **AGPRO Spray Maximiser** require secondary containment, signage and an emergency plan.

EQUIPMENT

Apply only with appropriate, well-maintained and calibrated equipment in accordance with NZS8409 Management of Agrichemicals.

DISPOSAL

PRODUCT DISPOSAL: Dispose of this product only by using according to the label directions or if this is not possible contact your supplier for advice.

CONTAINER DISPOSAL. Triple rinse container and add rinsate to the spray tank. Recycle clean containers at an Agrecovery depot, or puncture and dispose of at an approved landfill. Do not burn. Do not use container for any other purpose.

FIRST AID

For advice call the National Poisons Centre 0800 POISON (0800 764 766) (24 hours) or a doctor. If medical advice is needed have product container or label to hand.

IF SWALLOWED: Do NOT induce vomiting. Rinse mouth. Call the Poisons Centre or doctor if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritation persists, get medical advice/attention.

IF ON SKIN OR HAIR: Remove contaminated clothing and wash with plenty of soap and water. If skin irritation or rash occurs get medical advice/attention. Wash contaminated clothing before reuse.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call the Poisons Centre or a doctor if you feel unwell. Apply artificial respiration if not breathing.

EMERGENCY RESPONSE

In a transport emergency call 111. For specialist advice in a chemical emergency call 0800 CHEMCALL (0800 243 622).

TRANSPORT

Do not carry on a passenger service vehicle.

SPILLAGE

Exclude non-essential people from the area. Wear protective clothing and prevent chemical from entering waterways. Absorb liquid spills with inert material such as attapulgite, soil, etc., and place in a waste container. Wash area with water and absorb with further inert material. Dispose of safely at an approved landfill.

SAFETY DATA SHEET

Additional information is provided in the safety data sheet. Phone 09 273 3456 or visit www.agpro.co.nz for a copy.

COMPATIBILITY

AGPRO Spray Maximiser is compatible with most commonly used herbicides, fungicides, insecticides and foliar fertilisers, however, ensure that there are no warning statements regarding the use of oils or surfactants on the other product's label as the addition of **AGPRO Spray Maximiser** may increase the other product's activity. It is recommended to prepare a test application when combining **AGPRO Spray Maximiser** with other products.

Avoid the application of sulphur within 2 weeks of application of **AGPRO Spray Maximiser** on leaves as foliage burn may

occur. Do not mix with captan, carbaryl, chlorothalonil, dinocap or dodine.

DIRECTIONS FOR USE

MIXING

Always follow the mixing instruction of each ingredient in the tank mix. Ensure product compatibility. When tank mixing, use the following general mixing order. Water dispersible granules first, then wettable powders then flowable formulations, then emulsifiable concentrates, then water soluble liquids and then the **AGPRO Spray Maximiser**. Fill the tank to the required volume while agitating. **AGPRO Spray Maximiser** can be mixed with various herbicides whenever a crop oil is recommended on the label. Agitate the tank from the bottom if allowed to stand.

APPLICATION RATES

AGPRO Spray Maximiser is generally used at a rate of 0.5% in the spray mix. For most herbicides use a rate of 0.5-2L/ha and with most fungicides and insecticides use 0.5-1L/ha to improve spreading and wetting.

CLEANING AND DECONTAMINATION

After using spray equipment, flush all equipment and lines with clean water.

CONDITIONS OF SALE

As the use of this product is beyond the control of the AGPRO NZ Ltd, no warranty expressed or implied, beyond that covered under the Fair Trading Act is given by AGPRO NZ Ltd regarding its suitability, fitness, or efficacy for any purpose for which it is used by the user, whether in accordance with the directions or not. AGPRO NZ Ltd accepts no responsibility for any consequence whatsoever resulting from the use of this product.

Batch Number:

Date of Manufacture:

