



LABEL

AGPRO ANTI-FOAM 1410

Issue Date: 15 Jul 2020

HARMFUL

Keep out of reach of children

AGPRO ANTI-FOAM 1410

A water dilutable 100g/L active silicone emulsion for foam suppression in emulsions, wettable powders and water-based systems.

Read the directions for use before using this product.

Approved pursuant to HSNO Act 1996 No HSR002503
See www.epa.govt.nz for approval conditions.

Date of manufacture:
Batch no:
Net contents: 5L, 20L

Registered to and distributed by:

AGPRO NZ Ltd
10 Polaris Place
East Tamaki
P O Box 58-963
Botany
Auckland 2163
Ph 09 273 3456
Fax 09 273 3457
www.agpro.co.nz

Contact AGPRO Direct on freephone 0508 536 536 or visit our website **www.agpro.co.nz**



LABEL

AGPRO ANTI-FOAM 1410

Issue Date: 15 Jul 2020

WARNING

May be harmful if swallowed, inhaled or absorbed through the skin. May cause mild eye irritation. Avoid contact with eyes. Avoid inhalation of spray mist. Avoid contamination of any water supply with product or empty container. Do not spray over or allow to drift over an aquatic environment.

PRECAUTIONS

APPROVED HANDLER: Not required.

STORAGE: Store in original container, tightly closed and away from foodstuffs. Store in a cool dry well ventilated area, avoiding sunlight and temperatures below -5°C and above 35°C . When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for information about the use of product that is older than this.

PROTECTIVE CLOTHING: When mixing or applying this product, overalls, boots, gloves and eye protection should be worn.

SPRAYING EQUIPMENT: Apply only with well maintained and calibrated equipment.

PERSONAL HYGIENE: Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

TRACKING: This product does not need to be tracked.

RECORDS: Record keeping is not required when using this product.

PRODUCT DISPOSAL: Dispose of this product only by using according to the label directions or if this is not possible alternatively contact your supplier for advice.

CONTAINER DISPOSAL: Triple rinse container and add rinsate to the spray tank. Dispose at an approved landfill. Do not burn. Do not use container for any other purpose.

FIRST AID

If swallowed DO NOT induce vomiting. If splashed in eyes, wash out immediately with water. If skin or hair contact occurs, remove contaminated clothing and flush with water. For advice call the National Poisons Centre 0800 POISON (0800 764 766) (24 hours) or a doctor immediately.

EMERGENCY RESPONSE

In a transport emergency call 111, Police or Fire Brigade.

SPILLAGE

Exclude non-essential people from the area. Wear protective clothing and prevent chemical from entering waterways. Absorb spill with inert material such as soil, sand, etc and place in a waste container. Wash area with water, and absorb with further inert material. Dispose of safely to an approved landfill.

SAFETY DATA SHEET

Additional information is provided in the safety data sheet. Phone 09 273 3456 or visit www.agpro.co.nz for a copy.

SHELF LIFE

When stored at temperatures between $8 - 28^{\circ}\text{C}$, this product should show no significant degradation for two years from the date of manufacture. Contact us for further information about the use of product that is older than this.

DIRECTIONS FOR USE

AGPRO Anti-foam 1410 works effectively in very low concentrations. One to 100 parts of active silicone per million parts water are sufficient to eliminate most foams. 20-50mls of 2eAGPRO Anti-foam 1410 per 100L of liquid is generally sufficient to eliminate or suppress the foam in most situations. Start with the higher rate and then reduce the addition rate to achieve the desired level of foam control.



LABEL

AGPRO ANTI-FOAM 1410

Issue Date: 15 Jul 2020

MIXING

For best results pre-dilute the AGPRO Anti-foam 1410 with 5 parts water and add to the liquid. This helps dispersion. Pre-diluted material should all be used immediately. If the system can provide adequate dispersion the Anti-foam may be added directly without pre-dilution. It is best to add to agitated liquids before foam starts to appear, however it may be added after foaming occurs to break the foam.

WITHHOLDING PERIOD

It is an offence for users of this product to cause residues exceeding the relevant MRL in the New Zealand (Maximum Residue Limits of Agricultural Compounds) Food Standards.

CONDITIONS OF SALE

The use of AGPRO Anti-foam 1410 being beyond the control of the manufacturer, no warranty expressed or implied, beyond that cover under the Fair Trading Act is given by AGPRO NZ Limited regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and AGPRO NZ Limited accepts no responsibility for any consequence whatsoever resulting from the use of this product.