

## **WARNING**

**Keep out of reach of children**

## **AGPRO BIO-SAFE**

Contains 700g/L fatty acid in the form of a emulsifiable concentrate

A fast acting coconut oil derivative for the non-selective control of a wide range of annual and some perennial weeds.

Registered pursuant to the ACVM Act 1997 No: P005734  
See [www.nzfa.govt/acvm](http://www.nzfa.govt/acvm) for registration conditions  
Approved pursuant to HSNO Act 1996 No HSR000827  
See [www.epa.govt.nz](http://www.epa.govt.nz) for approval conditions

Date of manufacture:  
Batch no:  
Net contents: 20L

**Registered to and distributed by:**

AGPRO NZ Ltd  
10 Polaris Place  
East Tamaki  
P O Box 58-963  
East Tamaki  
Auckland 2163  
Ph 09 273 3456  
Fax 09 273 3457  
Website: [www.agpro.co.nz](http://www.agpro.co.nz)



# **LABEL**

## **AGPRO BIO-SAFE**

Issue Date: 01/05/2013

### **WARNING**

May cause eye and mild skin irritation. Avoid contact with eyes and skin. Avoid inhalation of spray mist. Avoid contamination of any water supply with product or empty container.

### **PRECAUTIONS**

**STORAGE:** Store in original container, tightly closed and away from foodstuffs. Store in a cool dry well ventilated area, avoiding sunlight and temperatures below  $-5^{\circ}\text{C}$  and above  $35^{\circ}\text{C}$ . When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for information about the use of product that is older than this.

**PROTECTIVE CLOTHING:** When mixing or applying this product, overalls, boots, gloves and eye protection should be worn.

**SPRAYING EQUIPMENT:** Apply only with well maintained and calibrated equipment.

**PERSONAL HYGIENE:** Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

**TRACKING:** This product does not need to be tracked.

**PRODUCT DISPOSAL:** Dispose of this product only by using according to the label directions or if this is not possible contact your supplier for advice.

**CONTAINER DISPOSAL:** Dispose at an approved landfill. Do not burn. Do not use container for any other purpose.

### **FIRST AID**

If swallowed DO NOT induce vomiting. If splashed in eyes, wash out immediately with water. If skin or hair contact occurs, remove contaminated clothing and flush with water. For advice call the National Poisons Centre 0800 POISON (0800 764 766) (24 hours) or a doctor immediately.

### **EMERGENCY RESPONSE**

In a transport emergency call 111, Police or Fire Brigade.

### **SPILLAGE**

Exclude non-essential people from the area. Wear protective clothing and prevent chemical from entering waterways. Absorb spill with inert material such as soil, sand, etc and place in a waste container. Wash area with water, and absorb with further inert material. Dispose of safely to an approved landfill.

### **SAFETY DATA SHEET**

Additional information is provided in the safety data sheet. Phone 09 273 3456 or visit [www.agpro.co.nz](http://www.agpro.co.nz) for a copy.

### **WITHHOLDING PERIOD: WITHHOLDING PERIOD**

**It is an offence for users of this product to cause residues exceeding the relevant MRL in the New Zealand (Maximum Residue Limits of Agricultural Compounds) Food Standards.**

### **GENERAL INSTRUCTIONS**

AGPRO BIO-Safe works only on direct contact with foliage, causing rapid wilting of the leaves. The effect will be noticed within hours. It is most effective on actively growing weeds and when applied in hot, sunny conditions.

### **MIXING**

Add the full quantity of the product to the partly filled spray tank whilst agitating. Fill tank and agitate to ensure thorough mixing.

**SPRAY DRIFT WARNING**

BEWARE: Apply this product carefully. Spray drift may cause serious damage to other desirable plants. Ensure compliance with relevant regional air management plans.

**RAINFALL**

Rainfall within 3 hours following treatment may reduce effectiveness. Earlier re-treatment should be considered following heavy rain.

**SHELF LIFE**

When stored at temperatures between 8 – 28°C, this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of product that is older than this.

**COMPATIBILITY**

Compatible with most commonly used herbicides.

**APPLICATION RATES**

Use 70ml of AGPRO BIO-Safe per 1 litre of water and spray to saturate the weeds. On harder to kill weeds increase the rate to 100ml of AGPRO BIO-safe per 1 litre of water. A second application after 3-4 days will assist control. Repeated treatments on undisturbed soil will reduce weed emergence.

**APPLICATION**

AGPRO BIO-Safe may be applied through all conventional spray equipment including gun spraying and knapsack spraying.

**CONDITIONS OF SALE**

The use of AGPRO BIO-Safe being beyond the control of the manufacturer, no warranty expressed or implied, beyond that cover under the Fair Trading Act is given by AGPRO NZ Limited regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and AGPRO NZ Limited accepts no responsibility for any consequence whatsoever resulting from the use of this product.