

DANGER

KEEP OUT OF REACH OF CHILDREN

Read label before use

AGPRO Easy Clean 50

Contains: 500g/litre Quaternary Ammonium Compounds

For the control of lichen, moss, mould, algae and liverwort
in most turfgrass surfaces.

A powerful penetration and wetting action facilitating the rapid absorption of the
active ingredient. Absorption normally occurs within 5-15 minutes of application.

20L

Approved pursuant to HSNO Act 1996,
Approval Code HSR000822
See www.epa.govt.nz for approval controls

Distributed by:
AGPRO NZ Ltd
10 Polaris Place, East Tamaki, Auckland 2013
PO Box 58-963, Botany, Auckland 2163
Ph 09 273 3456
www.agpro.co.nz

AGPRO



HAZARD CLASSIFICATION

Acute oral toxicity Category 4
Acute dermal toxicity Category 4
Skin corrosion Category 1B
Serious eye damage Category 1
Hazardous to the aquatic environment acute Category 1
Hazardous to terrestrial vertebrates
HSNO Classification: 6.1D, 8.2B, 8.3A, 9.1A, 9.3B

This product must not be used for any purpose, or in any manner, contrary to this label unless authorised under appropriate legislation.

DANGER TOXICITY

Harmful if swallowed or in contact with skin. Causes severe skin burns and serious eye damage.

ECOTOXICITY

Very toxic to aquatic life. Hazardous to terrestrial vertebrates.

PRECAUTIONS QUALIFIED HANDLER

This product must be under the control of a suitably qualified handler during handling, mixing, loading or application. This product must not be applied into or onto water. Avoid contamination of any water supply with product or empty container. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

PERSONAL PROTECTION

Avoid contact with skin and eyes, ingestion and inhalation of spray mist. Do not eat, drink or smoke while using. The selection of personal protective clothing and equipment should reflect the exposure risk of the use situation. When mixing or applying this product use a minimum of protective overalls,

boots, gloves, face and eye protection. Respiratory protection should be worn if there is a risk of inhalation of spray mist. Remove protective clothing and wash hands and face thoroughly before meals and after work. Keep children and pets indoors during application and whilst treated surfaces dry.

STORAGE

Store in original container, tightly closed, in a locked, dry, cool and well-ventilated area avoiding direct sunlight and away from foodstuffs, fertilisers or seeds. Storage must be in accordance with the current version of Management of Agrichemicals (NZS 8409). Stores containing 100 litres or more of **AGPRO Easy Clean 50** require secondary containment, signage and an emergency plan. Stores containing 250 litres or more of **AGPRO Easy Clean 50** require a location compliance certificate.

EQUIPMENT

Apply only with appropriate, well-maintained and calibrated equipment in accordance with NZS 8409.

RECORDS OF APPLICATION

If 3kg or more of the substance is applied within 24 hours, in a place where the substance is likely to enter the air or water and leave the application area, written records must be kept.

DISPOSAL

PRODUCT DISPOSAL: Dispose of this product only by using according to the label directions or if this is not possible contact your supplier for advice.

CONTAINER DISPOSAL: Triple rinse container and add rinsate to the spray tank. Recycle clean containers at an Agrecovery depot, or puncture and dispose of at an approved landfill. Do not burn. Do not use container for any other purpose.

FIRST AID

For advice call the National Poisons Centre 0800 POISON (0800 764 766) (24 hours) or a doctor. If medical advice is needed have product container or label to hand.

IF SWALLOWED: Do NOT induce vomiting. Rinse mouth. Call the Poisons Centre or a doctor if you feel unwell.

IF IN EYES: Causes serious eye damage. Get immediate medical attention. Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

IF ON SKIN OR HAIR: Causes severe skin burns. Get immediate medical attention. Remove contaminated clothing and flush with water. Wash contaminated clothing before reuse.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call the Poisons Centre or a doctor if you feel unwell. Apply artificial respiration if not breathing.

If pets come into contact with the product or the wet surface, rinse paws and mouth immediately and seek veterinary attention.

EMERGENCY RESPONSE

In a transport emergency call 111, Police and Fire Brigade. For specialist advice in a chemical emergency call 0800 CHEMCALL (0800 243 622).

SPILLAGE

Exclude non-essential people from the area. Wear protective clothing and prevent chemical from entering waterways. Absorb liquid spills with inert material such as attapulgite, soil, etc., and place in a sealable and labelled waste container. Wash area with water and absorb with further inert material. Dispose of safely at an approved landfill.

SAFETY DATA SHEET

Additional information is provided in the safety data sheet. Phone 09 273 3456 or visit www.agpro.co.nz for a copy.

GENERAL INSTRUCTIONS

AGPRO Easy Clean 50 is formulated to kill and control the growth of lichen, moss, algae and liverwort. It can be used around potted plants, in garden beds, lawns and on a wide range of surfaces including concrete, wood, metal, plastics and cloth. Suitable for painted and unpainted surfaces. Staining may occur

on some surfaces so always test a small area first. The product has long lasting effects on porous surfaces. Simply spray on and let time do the rest. It will keep working for up to 12 months. In addition, the product can be washed off in a few days and the residual benefits will remain. Avoid use over plants as some damage may result. Keep pets away from sprayed areas until dry.

FOR OUTDOOR USE ONLY DIRECTIONS FOR USE AND APPLICATION RATES

Potted plants and garden beds:

Use 10-15ml per litre of water. Spray only over the soil to thoroughly wet the weeds. If sprayed over the foliage of wanted plants wash off within 15 minutes.

Bentgrass, buffalo, couch, fescues and ryegrass lawns:

Use 25 mL per 1 litre of water over 10 square metres. Evenly wet the surface. Ensure the area is well watered before applying and wait until lawn surface and foliage is dry before applying product. Apply during warm conditions and rain is not expected within 12 hours.

Tiled roofs, rockeries, drives and pathways:

Use 20 mL per litre of water. Spray to wet and for heavy infestations, clean off after 40 hours and reapply. You can adjust the mix rate marginally depending on the level of contamination. Apply to a dry surface and spray in a situation which allows for maximum penetration into the surface. Ideally 12 hours should be allowed before rainfall. Apply early or late in the day or in overcast conditions to avoid rapid evaporation.

CONDITIONS OF SALE

As the use of this product is beyond the control of AGPRO NZ Ltd, no warranty expressed or implied, beyond that covered under the Fair Trading Act is given by AGPRO NZ Ltd regarding its suitability, fitness, or efficacy for any purpose for which it is used by the user, whether in accordance with the directions or not. AGPRO NZ Ltd accepts no responsibility for any consequence whatsoever resulting from the use of this product.

Batch Number:

Batch/DOM oversticker

Date of Manufacture:



Proper Shipping Name	Class	UN No.	Packing Group	Hazchem
CORROSIVE LIQUID, N.O.S., (contains Quaternary Ammonium Compounds, benzyl-C12-C16 alkylidimethyl chlorides, 50%)	8	1760	II	2X

LBL086.1