



# WARNING

KEEP OUT OF REACH OF CHILDREN

Read label before use

# ECOTOXIC

# AGPRO Terminate

Contains 388g/L terbuthylazine and 112g/L glyphosate in the form of a suspension concentrate

For non-selective weed control in forestry and non-cropland areas

**DO NOT USE ON PASTURE OR CROPLAND**

## 20L

Distributed by:  
**AGPRO NZ Ltd**

10 Polaris Place, East Tamaki, Auckland 2013

PO Box 58-963, Botany, Auckland 2163

Ph 09 273 3456

[www.agpro.co.nz](http://www.agpro.co.nz)

Approved pursuant to HSNO Act 1996, HSR000206

See [www.epa.govt.nz](http://www.epa.govt.nz) for approval conditions

# AGPRO FORESTRY



### HAZARD CLASSIFICATION

Eye Irritation Category 2,  
Hazardous to the aquatic environment acute  
Category 1,  
Hazardous to the aquatic environment chronic  
Category 1,  
Hazardous to soil organisms.

**HSNO Classification:** 6.4A, 9.1A, 9.2A

**This product must not be used for any purpose, or in any manner, contrary to this label unless authorised under appropriate legislation.**

### WARNING

**TOXICITY**  
Causes serious eye irritation.

**ECOTOXICITY**  
Very toxic to aquatic organisms and with long lasting effects. Very toxic to the soil environment.

### PRECAUTIONS QUALIFIED HANDLER

This product must be under the control of a suitably qualified handler during mixing, loading and use.

**Non-Selective Herbicide** – very toxic to some plant species. This product must not be applied into or onto water. Avoid contamination of any water supply with product or empty container.

**Beware: Spray drift hazard.** Apply this product carefully. Spray drift may cause serious damage to other desirable plants. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

### PERSONAL PROTECTION

Avoid contact with skin and eyes, ingestion and inhalation of spray mist. When mixing or applying this product, overalls, boots, gloves and eye protection should be worn. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

### STORAGE

Store in original container, tightly closed, in a secure, dry, cool and well-ventilated area avoiding direct sunlight and stored away from foodstuffs, fertilisers or seeds. Storage must be in accordance with the current version of NZS8409 Management of Agrichemicals.

Stores containing 100 litres or more of **AGPRO Terminate** require secondary containment, signage, and an emergency response plan.

### EQUIPMENT

Apply only with appropriate, well maintained, and calibrated equipment in accordance with NZS8409 Management of Agrichemicals.

### RECORDS OF APPLICATION

If 3 litres or more of the substance is applied within 24 hours, in a place where the substance is likely to enter air or water and leave the application area, written records must be kept.

### DISPOSAL

**PRODUCT DISPOSAL:** Dispose of this product only by using according to the label directions or if this is not possible contact your supplier for advice.  
**CONTAINER DISPOSAL:** Triple rinse container and add rinsate to the spray tank. Recycle clean container at an Agrecovery depot, or puncture and dispose of at an approved landfill. Do not burn. Do not use container for any other purpose.

### FIRST AID

**For advice call the National Poisons Centre 0800 POISON (0800 764 766) (24 hours) or a doctor.** If medical advice is needed have product container or label to hand.

**IF SWALLOWED:** Do NOT induce vomiting. Rinse mouth. Call the Poisons Centre or doctor if you feel unwell.

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritation persists, get medical advice/attention.

**IF ON SKIN OR HAIR:** Remove contaminated clothing and flush with water. If skin irritation occurs, get medical advice/attention. Wash contaminated clothing before reuse.

**IF INHALED:** Remove to fresh air and keep at rest in a position comfortable for breathing. Call the Poisons Centre or a doctor if you feel unwell. Apply artificial respiration if not breathing.

### EMERGENCY RESPONSE

For a transport emergency call 111.  
For specialist advice in an emergency call 0800 CHEMCALL (0800 243 622).

### SPILLAGE

Exclude non-essential people from the area. Wear protective clothing and prevent chemical from entering waterways. Absorb liquid spills with inert material such as attapulgite, soil, etc., and place in a waste container. Wash area with water and absorb with further inert material. Dispose of safely at an approved landfill.

### SAFETY DATA SHEET

Additional information is provided in the safety data sheet. Phone 09 273 3456 or visit [www.agpro.co.nz](http://www.agpro.co.nz) for a copy.

### GENERAL INSTRUCTIONS

**AGPRO Terminate** is a combination herbicide for post-emergent control of grasses and broadleaf weeds in forestry and non-cropland areas. This product is absorbed by foliar and root uptake. Do not use on pasture or cropland.

### RESISTANT WEEDS WARNING

**GROUP 5+9 HERBICIDE**

**AGPRO Terminate** contains a triazine herbicide that inhibits photosynthesis at photosystem II and a glycine herbicide which inhibits EPSP synthase. Naturally occurring resistant biotypes are known to exist and can become more prevalent after many years of continuous or excessive use of this product. To prevent or delay resistance use **AGPRO Terminate** in tank mixes as appropriate,

and/or in rotation with herbicides that have a different mode of action.

### MIXING

Mix or stir container well. Add the full quantity of the product to the partly filled spray tank whilst agitating. Fill tank and agitate to ensure thorough mixing and continue agitation whilst spraying. Agitate from the bottom if allowed to stand.

### APPLICATION

**AGPRO Terminate** may be applied through all conventional spray equipment. Avoid any spray contact with foliage or green bark. In forestry apply as a pre-plant spray or if spraying after planting ensure that the trees are well shielded from any spray drift. Do not use strainers finer than 300 microns. Do not store or mix **AGPRO Terminate** in non-galvanised or unlined steel containers.

### COMPATIBILITY

Compatible with most commonly used herbicides.

### RAINFALL

Rainfall within 3 hours following treatment may reduce effectiveness. Earlier re-treatment should be considered following heavy rain.

### DIRECTIONS FOR USE

**AGPRO Terminate** controls a wide range of grasses and broadleaf weeds. Visible effects may not be apparent for 7-14 days.

### CONDITIONS OF SALE

As the use of this product is beyond the control of AGPRO NZ Ltd, no warranty expressed or implied, beyond that covered under the Fair Trading Act is given by AGPRO NZ Ltd regarding its suitability, fitness or efficacy for any purpose for which it is used by the user, whether in accordance with the directions or not. AGPRO NZ Ltd accepts no responsibility for any consequence whatsoever resulting from the use of this product.

SITUATION	APPLICATION RATE	CRITICAL COMMENTS
<b>Forestry</b> Radiata pine, Douglas fir Eucalyptus nitens	12-25 litres/ha in 200-300 litres of water	Apply prior to planting, allowing sufficient time for the grasses to brown-off before tree planting. In cold weather, spots will take longer to brown-off. The lower rate will only provide short residual activity
	12-20 litres/ha in 200-300 litres of water	
<b>Forestry</b> Radiata pine, Douglas fir, Eucalyptus nitens	Knapsack: 25mls/litre	For pre-plant application only. Allow sufficient time for grasses to brown off before tree planting. In cold weather, spots will take longer to brown off.
<b>Non-Cropland</b> Industrial areas, roadsides, footpaths, fencelines, etc.	15-25 litres/ha in 200-300 litres of water	Apply sufficient spray to evenly cover the vegetation.
	Knapsack: 500 mls/10 litres of water	

Batch Number:

Date of Manufacture:



Proper Shipping Name	Class	UN No.	Packing Group	Hazchem
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (contains terbuthylazine, 38% and glyphosate, 11%)	9	3082	III	3Z

LBL2412