

**WARNING**  
KEEP OUT OF REACH OF CHILDREN  
**ECOTOXIC**

# Metameet

For post emergence weed control in Red beet, Fodder beet,  
Sugar beet and Mangolds.

**Active Ingredient: contains 700 g/kg metamitron in the form of a  
water dispersible granule.**

## 10Kg

Registered pursuant to the ACVM Act 1997, No. P9435  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions  
Approved pursuant to the HSNO Act 1996,  
Approval code HSR000535  
See [www.epa.govt.nz](http://www.epa.govt.nz) for approval controls

Distributed by:  
**AGPRO NZ Ltd**  
10 Polaris Place, East Tamaki, Auckland 2013  
PO Box 58-963, Botany, Auckland 2163  
Ph 09 273 3456  
[www.agpro.co.nz](http://www.agpro.co.nz)

# AGPRO

**READ THIS LABEL COMPLETELY BEFORE  
MIXING OR APPLYING**



### HAZARD CLASSIFICATIONS

Acute oral toxicity Category 4,  
Acute inhalation toxicity Category 4,  
Hazardous to the aquatic environment acute  
Category 1,  
Hazardous to the aquatic environment chronic  
Category 1,  
Hazardous to soil organisms,  
Hazardous to terrestrial vertebrates.

### WARNING TOXICITY

Harmful if swallowed or inhaled.

### ECOTOXICITY

Very toxic to aquatic life with long lasting  
effects. Very toxic to the soil environment.  
Harmful to terrestrial vertebrates. This product  
must not be applied directly into or onto water.  
Take all reasonable steps to ensure that the  
substance does not cause any significant  
adverse effects to the environment beyond the  
application area.

### PRECAUTIONS

#### QUALIFIED HANDLER

This product must be under the control of a  
suitably qualified handler during handling,  
mixing, loading or application.

#### RECORDS OF APPLICATION

If 3kg or more of the substance is applied within  
24 hours, in a place where the substance is  
likely to enter the air or water and leave the  
application area, written records must be kept.

#### PERSONAL PROTECTION

Do not inhale dust or diluted spray and avoid  
contact with skin or eyes. Use only outdoors or  
in well-ventilated area. When handling wear full  
protective clothing such as impermeable elbow-  
length gloves, hat, coat and trousers (worn  
outside rubber boots). Wear self-contained  
breathing apparatus when exposure is likely.  
Wear a face shield or goggles if eye contact  
is likely to occur. Do not eat, drink or smoke  
while using. Immediately after use, or before

any meal break, remove protective clothing and  
thoroughly wash hands and face.

### STORAGE

Store in original container, tightly closed, in a  
secure, dry, cool, well-ventilated area away from  
foodstuffs, seeds and fertilisers. Storage must  
be in accordance with the current version of NZ  
Standard for the Management of Agrichemicals  
(NZS 8409). Stores containing 100kg or more  
of Metameet require secondary containment,  
signage and an emergency plan.

### SHELF LIFE

When stored appropriately this product should  
show no significant degradation for 2 years from  
the date of manufacture. Contact your supplier  
for further information about the use of product  
that is older than this.

### SPILLAGE

Wear protective clothing and equipment as  
described. Contain and prevent product from  
entering waterways. Use shovel to recover  
granule spills. Absorb liquid spills with inert  
material and place in labelled drums that can be  
sealed. Wash area with water and absorb with  
further inert material. Dispose of waste and  
residues safely to approved landfill.

### DISPOSAL

Avoid contamination of waterways or water  
supplies with product or empty containers or  
bags.

**PRODUCT DISPOSAL:** Dispose of this product  
only by using according to the label directions  
or if this is not possible contact your supplier  
for advice.

**PACKAGING DISPOSAL:** Dispose of empty  
packaging at an approved landfill. Do not burn.  
Do not use packaging for any other purpose.

### EMERGENCY RESPONSE

In a transport emergency call 111, Police or Fire  
Brigade.

For specialist advice in a chemical emergency call  
0800 CHEMCALL (0800 243 622).

### SAFETY DATA SHEET

Additional information is provided in the  
Safety Data sheet. Phone 09 273 3456 or visit  
[www.agpro.co.nz](http://www.agpro.co.nz) for a copy.

### FIRST AID

For advice call the National Poisons Centre  
**0800 POISON (0800 764 766) (24 hours)** or a

**doctor.** If medical advice is needed have product  
container or label to hand.

If **inhaled** and breathing is difficult, remove  
to fresh air and keep at rest in a position  
comfortable for breathing. Call the POISON  
CENTRE or doctor if you feel unwell.

If **swallowed**, rinse mouth and call the POISON  
CENTRE or doctor if you feel unwell.

If **on skin**, wash with plenty of soap and water,  
and call a POISON CENTRE or doctor if you feel  
unwell. Wash contaminated clothing before  
re-use.

If **in eyes**, rinse cautiously with water for several  
minutes. Remove contact lenses, if present  
and easy to do. Continue rinsing. Get medical  
assistance if irritation persists.

### GENERAL INFORMATION

**BEWARE: Apply this product carefully. Spray  
drift may cause serious damage to other  
desirable plants. A strategy to minimize spray  
drift should be followed at all times when  
applying spray near aquatic environments.**

To be applied via ground-based methods only.  
Ensure compliance with relevant regional air  
management plans. Must not be applied into  
or onto water. A buffer zone of 15m between  
the application area and any downwind area  
containing non-target plants must be observed.

### EQUIPMENT

Apply using accurately calibrated and maintained  
equipment in accordance with the NZ Standard  
for the Management of Agrichemicals (NZS  
8409). Spray equipment should be thoroughly  
cleaned after use.

### DIRECTIONS FOR USE - BEET

Metameet is a selective post-emergent herbicide  
from the triazinone group. Uptake is mainly  
via roots with some uptake by leaves. Some  
residual activity occurs. Application to small  
weeds gives best results.

**It is an offence for users of this product to  
cause residues exceeding the Food Notice:  
Maximum Residue Levels for Agricultural  
Compounds.**

### WEEDS CONTROLLED

**Susceptible:** *Amaranthus spp.*, Buttercups  
(seedlings), Chickweed, Docks (seedling),  
Fathen, Galinsoga, Groundsel, Hawksbeard,

Henbit, *Matricaria spp.* (Stinking mayweed  
and Chamomiles), Nettles, Pennycress, Annual  
poa, Wild portulaca, Scotch thistle (seedling),  
Shepherd's purse, Sow thistle, Speedwells,  
Spurrey, Twin cress, White clover, Yarrow  
(seedling).

**Moderately Susceptible:** Field pansy, Fumitory,  
Hedge mustard, Black nightshade, Scarlet  
pimpernel, Thorn apple, Wireweed.

**Non-susceptible:** Californian thistle, Cleavers,  
Cornbind, Wild oats and most Grasses.

### RESISTANT WEEDS WARNING

GROUP	5	HERBICIDE
-------	---	-----------

Metameet is a GROUP 5 HERBICIDE of the  
triazinone herbicide group. Naturally occurring  
weed biotypes resistant to triazinones can  
become more prevalent after many years of  
continuous use. To delay the onset of, or control  
resistant weeds, use in rotation with herbicides  
of different mode of action. Since the occurrence  
of resistant weeds is difficult to detect prior to  
use Shandong Rainbow accepts no liability for  
losses that may result from the failure of this  
product to control resistant weeds.

### CONDITIONS OF SALE

As the use of this product is beyond the control  
of AGPRO NZ Ltd, no warranty expressed or  
implied, beyond that covered under the Fair  
Trading Act is given by AGPRO NZ Ltd regarding  
its suitability, fitness, or efficacy for any purpose  
for which it is used by the user, whether in  
accordance with the directions or not. AGPRO  
NZ Ltd accepts no responsibility for any  
consequence whatsoever resulting from the use  
of this product.

**Registered to:**  
Shandong Rainbow International Co. Ltd,  
30th Floor, Building A5-5,  
Hanyu Financial Centre,  
No. 7000 East Jingshi Road, Jinan,  
China 250101

**NZ Address:**  
6 Horlicks Place, Randwick Park,  
Auckland 2105  
Tel: (021)02886306

CROP	USE RATE	CRITICAL COMMENTS
Beet: Red Fodder Sugar Mangolds	6.0 kg/hectare Apply with 1.0 litre/hectare Multi-film™ Extra	Apply early post emergence when weeds are small and the crop has fully expanded cotyledons but before the second true leaf-stage. Use 200-300 litres of water per hectare as a fine misting spray.

Batch Number:

Date of Manufacture:



LBL172.1