



HAZARD CLASSIFICATION

Eye irritation Category 2,
Specific target organ toxicity (repeated exposure) Category 1,
Hazardous to the aquatic environment acute Category 1,
Hazardous to the aquatic environment chronic Category 1,
Hazardous to soil organisms,
Hazardous to terrestrial vertebrates,
Hazardous to terrestrial invertebrates.
HSNO Classification: 6.1E, 6.4A, 6.9A, 9.1A, 9.2A, 9.3B, 9.4C

This product must not be used for any purpose, or in any manner, contrary to this label unless authorised under appropriate legislation.

DANGER TOXICITY

Causes serious eye irritation. Causes damage to organs through prolonged or repeated exposure.

ECOTOXICITY

Very toxic to aquatic life with long lasting effects. Very toxic to the soil environment. Harmful to terrestrial vertebrates and terrestrial invertebrates.

PRECAUTIONS

QUALIFIED HANDLER

This product must be under the control of a suitably qualified handler during handling, mixing, loading or application.

Selective Herbicide – very toxic to some plant species. This product must not be applied into or on water. Avoid contamination of any water supply with product or empty container.

Beware: Spray drift hazard. Apply this product carefully. Spray drift may cause serious damage to other desirable plants. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area. Do not apply this product if bees are foraging.

PERSONAL PROTECTION

Avoid contact with skin and eyes, ingestion and inhalation of spray mist. When mixing or

applying this product, overalls, boots, gloves and eye protection should be worn. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

STORAGE

Store in original container, tightly closed, in a secure, dry, cool and well-ventilated area avoiding direct sunlight and away from foodstuffs, fertilisers or seeds. Storage must be in accordance with the current version of NZS8409 Management of Agrichemicals. Stores containing 100 litres or more of **AGPRO Lawnclean** require secondary containment, signage and an emergency plan.

EQUIPMENT

Apply only with appropriate, well-maintained and calibrated equipment in accordance with NZS8409 Management of Agrichemicals.

RECORDS OF APPLICATION

If 3kg or more of the substance is applied within 24 hours, in a place where the substance is likely to enter the air or water and leave the application area, written records must be kept.

DISPOSAL

PRODUCT DISPOSAL: Dispose of this product only by using according to the label directions or if this is not possible contact your supplier for advice.

CONTAINER DISPOSAL: Triple rinse container and add rinsate to the spray tank. Recycle clean containers at an Agrecovery depot, or puncture and dispose of at an approved landfill. Do not burn. Do not use container for any other purpose.

FIRST AID

For advice call the National Poisons Centre 0800 POISON (0800 764 766) (24 hours) or a doctor. If medical advice is needed have product container or label to hand.

IF SWALLOWED: Do NOT induce vomiting. Rinse mouth. Call the Poisons Centre or doctor if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritation persists, get medical advice/attention.

IF ON SKIN OR HAIR: Remove contaminated clothing and flush with water. If skin irritation

occurs, get medical advice/attention. Wash contaminated clothing before reuse.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call the Poisons Centre or a doctor if you feel unwell. Apply artificial respiration if not breathing.

EMERGENCY RESPONSE

In a transport emergency call 111.
For specialist advice in a chemical emergency call 0800 CHEMCALL (0800 243 622).

SPILLAGE

Exclude non-essential people from the area. Wear protective clothing and prevent chemical from entering waterways. Absorb liquid spills with inert material such as attapulgite, soil, etc., and place in a waste container. Wash area with water and absorb with further inert material. Dispose of safely at an approved landfill.

SAFETY DATA SHEET

Additional information is provided in the safety data sheet. Phone 09 273 3456 or visit www.agpro.co.nz for a copy.

GENERAL INFORMATION

AGPRO Lawnclean is a selective herbicide for the control of many broadleaf weeds in turf and wasteland areas. Do not compost lawn clippings or send to a landfill that composts them until after the first three cuttings. **Do not use on pasture or cropland.**

RESISTANT WEEDS WARNING

GROUP	4	HERBICIDE
-------	---	-----------

AGPRO Lawnclean contains a phenoxy-carboxylic acid and a benzoate herbicide that act like indole acetic acid (auxin mimics). Naturally occurring resistant biotypes are known to exist and can become more prevalent after many years of continuous or excessive use of this product. To prevent or delay resistance use **AGPRO Lawnclean** in tank mixes as appropriate, and/or in rotation with herbicides that have a different mode of action.

RAINFALL

Rainfall within 3 hours following treatment may reduce effectiveness. Earlier re-treatment should be considered following heavy rain.

APPLICATION

AGPRO Lawnclean may suppress or damage young fine turf. Apply only to turf at least 12 months old with actively growing weeds. Autumn, early winter or early spring treatment is recommended for best control at label rates. During winter when weeds are growing less actively, variable control can occur. Do not apply to weeds under stress (frost, drought).

MIXING

Add the full quantity of the product to the partly filled spray tank whilst agitating. Fill tank and agitate to ensure thorough mixing and continue agitation while spraying. Agitate from the bottom if allowed to stand.

DIRECTIONS FOR USE ON TURF:

Broadcast Application: Use 3-4.5 litres per ha in 200 litres of water as a medium-coarse spray.
Lawmboy Application: Use 75-110ml per 10 litres of water as a double pass application.
Knapsack Application: Use 75-110ml in 10 litres of water per 250 square metres.

DIRECTIONS FOR USE ON BINDWEEDS (CONVOLVULUS), CAPE IVY, SORREL AND DOCKS:

Knapsack Application: Use 12ml per 1 litre of water.

CLEANING AND DECONTAMINATION

After using spray equipment, flush all equipment and lines with clean water.

If the same equipment which applied **AGPRO Lawnclean** is to be used for any application onto or around sensitive crops, ensure that all spray equipment is thoroughly decontaminated after use as a large number of crop species are very susceptible to this herbicide.

CONDITIONS OF SALE

As the use of this product is beyond the control of AGPRO NZ Ltd, no warranty expressed or implied, beyond that covered under the Fair Trading Act is given by AGPRO NZ Ltd regarding its suitability, fitness, or efficacy for any purpose for which it is used by the user, whether in accordance with the directions or not. AGPRO NZ Ltd accepts no responsibility for any consequence whatsoever resulting from the use of this product.

Batch Number:

Date of Manufacture:



Proper Shipping Name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.,
(contains 2,4-D 20% and dicamba 10%)

Class	UN No.	Packing Group	Hazchem
9	3082	III	3Z

LBL161.1