

# AGPRO Hexagran 750

#### 1. SUBSTANCE IDENTIFICATION

SUPPLIER NAME AGPRO NZ Limited

SUPPLIER ADDRESS 10 Polaris Place, East Tamaki, Auckland 2013

PO Box 58-963, Botany, Auckland 2163

SUPPLIER CONTACT DETAILS 09 273 3456 or freephone 0508 536 536

www.agpro.co.nz

**EMERGENCY PHONE** 

POISON INFORMATION 0800 POISON (0800 764 766) 24 hours CHEMICAL EMERGENCY 0800 CHEMCALL (0800 243 622) 24 hours

ACTIVE INGREDIENT(S) AND

**PRESENTATION** CHEMICAL FAMILY

USE

Triazinone

Herbicide

#### 2. HAZARDS IDENTIFICATION

Classified as Hazardous according to the NZ Environmental Protection Authority criteria.

**GHS CLASSIFICATIONS** Acute oral toxicity Category 4

Eye irritation Category 2

Specific organ toxicity repeated exposure Category 2

Hazardous to soil organisms Hazardous to terrestrial vertebrates

Hazardous to the aquatic environment acute Category 1 Hazardous to the aquatic environment chronic Category 1

HSNO CLASSIFICATIONS 6.1D, 6.4A, 6.9B, 9.1A, 9.2A, 9.3C

**WARNING** SIGNAL WORD

**PICTOGRAMS** 







Contains 750g/kg hexazinone in the form of a water dispersible granule

HAZARD STATEMENTS H302 Harmful if swallowed.

> H319 Causes serious eye irritation.

H400 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life (acute).

H410 Very toxic to aquatic life with long lasting effects (chronic).

H421 Very toxic to the soil environment. Harmful to terrestrial vertebrates. H433

PREVENTION STATEMENTS P102 Keep out of reach of children.

> P103 Read label before use. P260 Do not breathe dust/fume.

P264 Wash face and hands thoroughly after handling. P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

**RESPONSE STATEMENTS** P101 If medical advice is needed, have product container or label at hand.

FIRST AID FACILITIES



# **AGPRO Hexagran 750**

2. HAZARDS IDENTIFICATION					
	P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.			
	P305 + P351	IF IN EYES: Rinse cautiously with water for several minutes. Remove			
	+ P338	contact lenses, if present and easy to do. Continue rinsing.			
	P314	Get medical advice/attention if you feel unwell.			
	P330	Rinse mouth.			
	P337 + P313	If eye irritation persists: Get medical advice/attention			
	P363	Wash contaminated clothing before reuse			
	P391	Collect spillage			
STORAGE STATEMENTS	See Section 7.				
DISPOSAL STATEMENTS	P501	Dispose of contents/ containers in accordance with relevant regulations. See Section 13.			

3. COMPOSITION / INFORMATION ON INGREDIENTS				
COMMON NAME	CAS NUMBER	CONCENTRATION %w/w		
Hexazinone	51235-04-2	75 %		
Sodium naphthalene sulfonate condensate	68425-95-5	10-20%		
Sodium dioctylsulfosuccinate	577-11-7	<5%		
Non-hazardous ingredients	Proprietary	Up to 100%		

4. FIRST AID MEASURES				
For advice call the National Poisons Centre 0800 POISON (0800 764 766) 24 hours or a doctor. If medical advice is needed have product container or label to hand.				
EYE CONTACT	Rinse cautiously for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing. If eye irritation persists, get medical attention/advice.			
SKIN (or hair) CONTACT	Remove contaminated clothing and flush skin and hair with running water. If skin irritation occurs, get medical advice/ attention.			
INHALATION	Remove to fresh air and keep at rest in a position comfortable for breathing. Apply artificial respiration if not breathing. Call doctor if you feel unwell.			
INGESTION	Do NOT induce vomiting. Rinse mouth. Call the POISON CENTRE or a doctor if you feel unwell.			
NOTES TO DOCTOR	Treat symptomatically.			

Eye wash facilities and safety shower should be available.

<ol><li>FIRE FIGHTING MEASURE</li></ol>	5. FIRE FIGHTING MEASURES		
EXTINGUISHING MEDIA	Alcohol resistant foam is preferred firefighting medium but if it is not available, standard foam can be used. Use extinguishing media suitable for surrounding environment. Prevent extinguishing media from entering drains.		
THERMAL DECOMPOSITION PRODUCTS	Non-flammable. Thermal decomposition may produce toxic fumes and compounds		
SPECIAL FIRE FIGHTING METHODS	Self-contained breathing apparatus with full face-piece and protective clothing. Cool fire exposed containers with water spray.		
HAZCHEM CODE	3Z		



# **AGPRO Hexagran 750**

#### 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS Exclude non-essential people from the area. Wear Personal Protective Equipment

(PPE) as detailed in Section 8 of the SDS.

ENVIRONMENTAL PRECAUTIONS Prevent product from entering waterways or drains.

SPILLS AND DISPOSAL Generating as little dust as possible, sweep up solid spills and place in a waste

container. Wash area with water and absorb with inert material such as attapulgite, soil, etc., and place in a suitable, sealable and labelled waste container. Dispose of safely

at an approved landfill. See Section 13 for details on disposal.

#### 7. HANDLING AND STORAGE

PRECAUTIONS FOR HANDLING Carefully read the label before use. Use of safe work practices are recommended to

avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands and face before eating. Prohibit eating, drinking and smoking in contaminated areas. This product must be under the control of a suitably qualified

handler during mixing, loading and use.

STORAGE Store in original container, tightly closed, in a secure, locked, dry, cool and well-

ventilated area and avoid direct sunlight. Store away from foodstuffs, fertilisers or seeds. Storage must be in accordance with NZS 8409 Management of Agrichemicals. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Stores containing 100 litres or more of AGPRO Hexagran 750 require

secondary containment, signage and an emergency response plan.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS Not established.

EYE PROTECTION Wear eye/face protection.

RESPIRATORY PROTECTION Respiratory protection is not required if good ventilation is maintained. Where an

inhalation risk exists, wear a Type A (Organic-Vapour) respirator with a P1

particulate filter for solids.

PROTECTIVE CLOTHING Wear chemically resistant gloves, coveralls, socks and chemical-resistant footwear.

VENTILATION Avoid inhalation. Use in well ventilated area.

HYGIENE PRECAUTIONS Do not eat, drink or smoke while working with this product. Remove clothing that

becomes soaked or contaminated and wash before reuse. Wash hands and face

before breaks and after work.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE / STATE/ COLOUR Cream coloured granules.

ODOUR Not Available.

ODOUR THRESHOLD Not Available.

PH (1%) solution Not Available

MELTING POINT / FREEZING POINT Not Available

INITIAL BOILING POINT / BOILING RANGE Not Available

FLASHPOINT Not Applicable.



# **AGPRO Hexagran 750**

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

FLAMMABILITY Not Available
UPPER/LOWER FLAMMABILITY LIMITS Not Available
VAPOUR PRESSURE Not Available.
VAPOUR DENSITY Not Available.

RELATIVE DENSITY

0.55 – 0.60 g/ml @ 25°C

SOLUBILITY

Dispersible in water

Not Available.

Not Applicable.

DECOMPOSITION TEMPERATURE

0.55 – 0.60 g/ml @ 25°C

Dispersible in water

Not Available.

KINEMATIC VISCOSITY

PARTICLE CHARACTERISTICS

Not Available

Not Applicable

#### 10. STABILITY AND REACTIVITY

STABILITY Stable under normal storage conditions in original container for two years.

CONDITIONS TO AVOID None known.

MATERIALS TO AVOID Strong acids/bases. Oxidising and reducing agents.

HAZARDOUS DECOMPOSITION PRODUCTS Thermal decomposition may produce toxic fumes and compounds.

#### 11. TOXICOLOGICAL INFORMATION

ACUTE EFFECTS No toxicological data is available for the finished product.

ORAL TOXICITY

LD50 (Guinea pig) 860 mg/kg for hexazinone

DERMAL TOXICITY

LD50 (rabbit) >5278 mg/kg for hexazinone

INHALATION TOXICITY

LC50 (rat) 3.94 mg/L for hexazinone

EYE CORROSION / IRRITANCY

SKIN CORROSION / IRRITANCY

May cause mild skin irritation.

**CHRONIC EFFECTS** 

CARCINOGENICITY

REPRODUCTIVE TOXICITY

GERM CELL MUTAGENICITY

ASPIRATION

STOT/SE

No information.

No information.

No information.

No information.

STOT/RE May cause damage to organs through prolonged or repeated exposure.

NARCOTIC EFFECTS No information.

#### 12. ECOLOGICAL INFORMATION

TOXICITY Very toxic to aquatic life with long lasting effects.

Very toxic to the soil environment. Harmful to terrestrial vertebrates.



HAZARDOUS SUBSTANCE,

SOLID, N.O.S., (contains

hexazinone 75%).

# **AGPRO Hexagran 750**

#### 12. ECOLOGICAL INFORMATION

PRECAUTIONS This product must be under the control of a suitably qualified handler during mixing,

loading and use.

This product must not be applied directly into or onto water. Avoid contamination of

any waterways with product or empty container.

Very toxic to some plant species.

Spray drift hazard – may cause serious damage to other desirable plants. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the area of application.

Do not use on pasture or cropland.

ECOTOXICITY INFORMATION Hexazinone LC50 (96hr, Grass Shrimp) 78 mg/L

EC50 (5day, Selenastrum capricornutum) 7.0 ppb (0.007 mg/L)

BIOACCUMMULATIVE No READILY DEGRADABLE No

#### 13. DISPOSAL CONSIDERATIONS

Do not contaminate streams, rivers or waterways with the chemical or the used container.

PRODUCT DISPOSAL Dispose of by using product as intended, according to the label directions. If this is not possible,

for small amounts, absorb with inert, non-combustible absorbent material (attapulgite or similar). Collect and place in a sealable, labelled container and safely dispose of at an approved landfill.

For large amounts contact your supplier or chemical recycling facility.

CONTAINER DISPOSAL Triple rinse container and add residue to spray tank. Return empty container to an Agrecovery

collection point for disposal, or puncture and dispose of at an approved facility. Do NOT burn. Do

not use the container for any other purpose.

#### 14. TRANSPORT INFORMATION

CLASSIFIED AS A DANGEROUS GOOD ACCORDING TO LAND TRANSPORT RULE: DANGEROUS GOODS 2005, NZS 5433:2020, IMDG OR IATA.



Land Transport (NZS 5433) Sea Transport (IMDG / IMO) Air Transport (IATA / ICAO)

**UN Number:** 3077 3077 3077

Proper Shipping Name: ENVIRONMENTALLY ENVIRONMENTALLY ENVIRONMENTALLY

HAZARDOUS SUBSTANCE, HAZARDOUS SUBSTANCE, SOLID, N.O.S., (contains SOLID, N.O.S., (contains

hexazinone 75%).

Transport Hazard Class 9 9

Subsidiary Class - - - -

hexazinone 75%).



# **AGPRO Hexagran 750**

### 14. TRANSPORT INFORMATION

 Packing Group
 III
 III
 III

 Hazchem
 3Z
 3Z

Marine Pollutant Status Marine Pollutant

The Environmentally Hazardous Substance Mark is not required when transported in packages of less than 5kg/L (UN Model Regulations: Special Provision 375; IATA Special Provision A197; IMDG; Special Provision 969).

#### 15. REGULATORY INFORMATION

ACVM REGISTRATION Exempt from registration under the ACVM Act 1997.

HAZARDOUS SUBSTANCE HSR000516

APPROVAL CODE See the EPA website for approval controls www.epa.govt.nz.

RECORDS OF APPLICATION If 3 kg or more of the substance is applied within 24 hours, in a place where the

substance is likely to enter the air or water and leave the application area, a PCBU with management or control of the substance must ensure that a written record is kept

of each application of the substance.

#### **16. OTHER INFORMATION**

SDS ISSUE DATE 15 June 2022 SDS REVIEW DATE June 2027

REFERENCES Supplier SDS

NZ Workplace Exposure Standard and Biological Exposure Indices (Nov 2020)

NZ Chemical Classification Information Database

NZ EPA Hazardous Substance Approvals and Group Standards

**ABBREVIATIONS** 

ACVM Agricultural Compounds and Veterinary Medicines

CAS Number Chemical Abstract Service Number - used to uniquely identify chemical compounds

EPA Environmental Protection Authority (New Zealand)

g/L Grams per litre

GHS Globally Harmonised System

HSNO Hazardous Substances and New Organisms

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per cubic metre
STEL Short Term Exposure Limit
WES Workplace Exposure Standard

IMDG/IMO International Maritime Dangerous Goods / International Maritime Organisation IATA / ICAO International Air Transport Association / International Civil Aviation Organisation

TLV Threshold Limit Value
TWA Time Weighted Average
OEL Occupational Exposure Limit

The data given here is based on current knowledge and experience. The purpose of this safety data sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products properties.

End of Safety Data Sheet