


AGPRO Valzine Extra

1. SUBSTANCE IDENTIFICATION

SUPPLIER NAME	AGPRO NZ Limited
SUPPLIER ADDRESS	10 Polaris Place, East Tamaki, Auckland 2013 PO Box 58-963, Botany, Auckland 2163
SUPPLIER CONTACT DETAILS	09 273 3456 or freephone 0508 536 536 www.agpro.co.nz
EMERGENCY PHONE	
POISON INFORMATION	0800 POISON (0800 764 766) 24 hours
CHEMICAL EMERGENCY	0800 CHEMCALL (0800 243 622) 24 hours
ACTIVE INGREDIENT(S) AND PRESENTATION	400g/litre terbuthylazine and 100g/litre hexazinone in the form of a suspension concentrate
CHEMICAL FAMILY	Triazine/Triazinone
USE	Herbicide

2. HAZARDS IDENTIFICATION

Classified as Hazardous according to the NZ Environmental Protection Authority criteria.

GHS CLASSIFICATIONS	Eye irritant Category 2 Specific target organ toxicity repeated exposure Category 2 Hazardous to the aquatic environment acute Category 1 Hazardous to the aquatic environment chronic Category 1 Hazardous to soil organisms	
HSNO CLASSIFICATIONS	6.4A, 6.9B, 9.1A, 9.2A	
SIGNAL WORD	WARNING	
PICTOGRAMS		
HAZARD STATEMENTS	H319 H373 H400 H410 H421	Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life (acute). Very toxic to aquatic life with long lasting effects (chronic). Very toxic to the soil environment.
PREVENTION STATEMENTS	P102 P103 P260 P264 P273 P280	Keep out of reach of children. Read label before use. Do not breathe mist/vapour/spray. Wash face and hands thoroughly after handling. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.
RESPONSE STATEMENTS	P101 P314 P305 + P351 + P338 P337 + P313 P391	If medical advice is needed, have product container or label at hand. Get medical advice/attention if you feel unwell. IF IN EYES: Rinse cautiously with water or several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Collect spillage.

SAFETY DATA SHEET

AGPRO Valzine Extra

AGPRO

2. HAZARDS IDENTIFICATION

STORAGE STATEMENTS	See Section 7.	
DISPOSAL STATEMENTS	P501	Dispose of contents/ containers in accordance with relevant regulations. See Section 13.

3. COMPOSITION / INFORMATION ON INGREDIENTS

COMMON NAME	CAS NUMBER	CONCENTRATION %w/v
Terbutylazine	5915-41-3	40%
Hexazinone	51235-04-2	10%
Oxirane, methyl-, polymer with oxirane, monobutyl ether	9038-95-3	<10%
Preservative	5596-84-9	0.1%
Non-hazardous ingredients	Proprietary	Balance to volume

4. FIRST AID MEASURES

For advice call the National Poisons Centre 0800 POISON (0800 764 766) 24 hours or a doctor. If medical advice is needed have product container or label to hand.

EYE CONTACT	Rinse cautiously for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing. If eye irritation persists, get medical attention/advice.
SKIN (or hair) CONTACT	Remove contaminated clothing and flush skin and hair with running water. If skin irritation occurs, get medical advice/ attention.
INHALATION	Remove to fresh air and keep at rest in a position comfortable for breathing. Apply artificial respiration if not breathing. Call doctor if you feel unwell.
INGESTION	Do NOT induce vomiting. Rinse mouth. Call the POISON CENTRE or a doctor if you feel unwell.
NOTES TO DOCTOR	Treat symptomatically.
FIRST AID FACILITIES	Eye wash facilities and safety shower should be available.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA	Alcohol resistant foam is preferred firefighting medium but if it is not available, standard foam can be used. Use extinguishing media suitable for surrounding environment. Prevent extinguishing media from entering drains.
THERMAL DECOMPOSITION PRODUCTS	Non-flammable. Thermal decomposition may produce toxic fumes and compounds.
SPECIAL FIRE FIGHTING METHODS	Self-contained breathing apparatus with full face-piece and protective clothing. Cool fire exposed containers with water spray.
HAZCHEM CODE	3Z

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS	Exclude non-essential people from the area. Wear Personal Protective Equipment (PPE) as detailed in Section 8 of the SDS.
ENVIRONMENTAL PRECAUTIONS	Prevent product from entering waterways or drains.

AGPRO Valzine Extra

6. ACCIDENTAL RELEASE MEASURES

SPILLS AND DISPOSAL

Spills may be slippery and should be cleaned up immediately. Contain spillage, then cover / absorb with inert, non-combustible absorbent material (attapulgate or similar). Collect and place in suitable sealed, labelled containers for disposal. Wash area with water and absorb with further inert material. See Section 13 for details on disposal.

7. HANDLING AND STORAGE

PRECAUTIONS FOR HANDLING

Carefully read the label before use. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands and face before eating. Prohibit eating, drinking and smoking in contaminated areas. This product must be under the control of a suitably qualified handler during mixing, loading and use.

STORAGE

Store in original container, tightly closed, in a secure, dry, cool and well-ventilated area and avoid direct sunlight. Store away from foodstuffs, fertilisers or seeds. Storage must be in accordance with NZS 8409 Management of Agrichemicals. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Stores containing 100 litres or more of AGPRO Valzine Extra require secondary containment, signage and an emergency response plan.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

Not established.

EYE PROTECTION

Wear eye/face protection.

RESPIRATORY PROTECTION

Respiratory protection is not required if good ventilation is maintained. Where an inhalation risk exists, wear a Type A (Organic-Vapour) respirator.

PROTECTIVE CLOTHING

Wear chemically resistant gloves, coveralls, socks and chemical-resistant footwear.

VENTILATION

Avoid inhalation. Use in well ventilated area.

HYGIENE PRECAUTIONS

Do not eat, drink or smoke while working with this product. Remove clothing that becomes soaked or contaminated and wash before reuse. Wash hands and face before breaks and after work.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE / STATE/ COLOUR

White to beige viscous liquid.

ODOUR

Not Available.

ODOUR THRESHOLD

Not Available.

pH (neat)

6.0 – 8.0

MELTING POINT / FREEZING POINT

Not Available

INITIAL BOILING POINT / BOILING RANGE

Not Available

FLASHPOINT

Not Applicable

FLAMMABILITY

Non-flammable

UPPER/LOWER FLAMMABILITY LIMITS

Not Available

VAPOUR PRESSURE

Not Available.

AGPRO Valzine Extra

9. PHYSICAL AND CHEMICAL PROPERTIES

VAPOUR DENSITY	Not Available.
RELATIVE DENSITY	1.12 g/ml @ 25°C (typical)
SOLUBILITY	Suspension Concentrate. Solubility in water - Terbutylazine, 8.5 mg/L, Hexazinone 3.3 g/L @20°C
OCTANOL / WATER PARTITION COEFFICIENT	Not Available.
AUTOIGNITION TEMP	Not Applicable.
DECOMPOSITION TEMPERATURE	Not Available.
KINEMATIC VISCOSITY	Not Available.
PARTICLE CHARACTERISTICS	Not Available.

10. STABILITY AND REACTIVITY

STABILITY	Stable under normal storage conditions in original container for two years.
CONDITIONS TO AVOID	None known.
MATERIALS TO AVOID	Strong acids/bases. Oxidising and reducing agents.
HAZARDOUS DECOMPOSITION PRODUCTS	Thermal decomposition may produce toxic fumes and compounds.

11. TOXICOLOGICAL INFORMATION

ACUTE EFFECTS	No toxicological data is available for the finished product.
ORAL TOXICITY	LD50 (rat) 1503 mg/kg for terbutylazine LD50 (Guinea pig) 860 mg/kg for hexazinone
DERMAL TOXICITY	LD50 (rats) >2000mg/kg for terbutylazine LD50 (rabbit) >5278 mg/kg for hexazinone
INHALATION TOXICITY	LC50 (rat) >5.3mg/L (4 hours) for terbutylazine LC50 (rat) 3.94 mg/L for hexazinone
EYE CORROSION / IRRITANCY	Causes serious eye irritation.
SKIN CORROSION / IRRITANCY	May cause mild skin irritation.
CHRONIC EFFECTS	
CARCINOGENICITY	Not Applicable.
REPRODUCTIVE TOXICITY	Not Applicable.
GERM CELL MUTAGENICITY	Not Applicable.
ASPIRATION	Not Applicable.
STOT/SE	Not Applicable.
STOT/RE	May cause damage to organs through prolonged or repeated exposure.
NARCOTIC EFFECTS	Not Applicable.

12. ECOLOGICAL INFORMATION

TOXICITY	Very toxic to aquatic life with long lasting effects. Very toxic to the soil environment.
----------	--

AGPRO Valzine Extra

12. ECOLOGICAL INFORMATION

PRECAUTIONS

This product must be under the control of a suitably qualified handler during mixing, loading and use.

This product must not be applied directly into or onto water. Avoid contamination of any waterways with product or empty container.

Very toxic to some plant species.

Spray drift hazard – may cause serious damage to other desirable plants.

Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the area of application.

Do not use on pasture or cropland.

ECOTOXICITY INFORMATION

Terbutylazine LC50 (96hr, Rainbow Trout) 3.4mg/L
LC50 (96hr, Mysidopsis bahia) 0.109mg/L
Algae EC50 (5day, Selenastrum capricornutum) 0.0032mg/L

Hexazinone Grass Shrimp LC50 (96hr, Grass Shrimp) 78 mg/L
EC50 (5day, Selenastrum capricornutum) 7.0 ppb (0.007 mg/L)

BIOACCUMULATIVE

No

READILY DEGRADABLE

No

13. DISPOSAL CONSIDERATIONS

Do not contaminate streams, rivers or waterways with the chemical or the used container.

PRODUCT DISPOSAL

Dispose of by using product as intended, according to the label directions. If this is not possible, for small amounts, absorb with inert, non-combustible absorbent material (attapulgit or similar). Collect and place in a suitable sealable, labelled container and safely dispose of at an approved landfill. For large amounts contact your supplier or chemical recycling facility.

CONTAINER DISPOSAL

Triple rinse container and add residue to spray tank. Return empty container to an Agrecovery collection point for disposal, or puncture and dispose of at an approved facility. Do NOT burn. Do not use the container for any other purpose.

14. TRANSPORT INFORMATION

CLASSIFIED AS A DANGEROUS GOOD ACCORDING TO LAND TRANSPORT RULE: DANGEROUS GOODS 2005, NZS 5433:2020, IMDG OR IATA.



	Land Transport (NZS 5433)	Sea Transport (IMDG / IMO)	Air Transport (IATA / ICAO)
UN Number	3082	3082	3082
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (contains terbutylazine 40% and hexazinone 10%).	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (contains terbutylazine 40% and hexazinone 10%).	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (contains terbutylazine 40% and hexazinone 10%).
Transport Hazard Class	9	9	9

AGPRO Valzine Extra

14. TRANSPORT INFORMATION

Subsidiary Class	-	-	-
Packing Group	III	III	III
Hazchem	3Z	3Z	-
Marine Pollutant Status	-	Marine Pollutant	-

The Environmentally Hazardous Substance Mark is not required when transported in packages of less than 5kg/L (UN Model Regulations: Special Provision 375; IATA Special Provision A197; IMDG; Special Provision 969).

15. REGULATORY INFORMATION

ACVM REGISTRATION	Exempt from registration under the ACVM Act 1997.
HAZARDOUS SUBSTANCE APPROVAL CODE	HSR000492 See the EPA website for approval controls www.epa.govt.nz
RECORDS OF APPLICATION	If 3 kg or more of the substance is applied within 24 hours, in a place where the substance is likely to enter the air or water and leave the application area, a PCBU with management or control of the substance must ensure that a written record is kept of each application of the substance.

16. OTHER INFORMATION

SDS ISSUE DATE	16 June 2022
SDS REVIEW DATE	June 2027
REFERENCES	Supplier SDS NZ Workplace Exposure Standard and Biological Exposure Indices (Nov 2020) NZ Chemical Classification Information Database NZ EPA Hazardous Substance Approvals Database
ABBREVIATIONS	
ACVM	Agricultural Compounds and Veterinary Medicines
CAS Number	Chemical Abstract Service Number - used to uniquely identify chemical compounds
EPA	Environmental Protection Authority (New Zealand)
g/L	Grams per litre
GHS	Globally Harmonised System
HSNO	Hazardous Substances and New Organisms
LC50	Lethal Concentration, 50% / Median Lethal Concentration
LD50	Lethal Dose, 50% / Median Lethal Dose
mg/m ³	Milligrams per cubic metre
STEL	Short Term Exposure Limit
WES	Workplace Exposure Standard
IMDG/IMO	International Maritime Dangerous Goods / International Maritime Organisation
IATA / ICAO	International Air Transport Association / International Civil Aviation Organisation
TLV	Threshold Limit Value
TWA	Time Weighted Average
OEL	Occupational Exposure Limit

16. OTHER INFORMATION

The data given here is based on current knowledge and experience. The purpose of this safety data sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products properties.

End of Safety Data Sheet